```
<!--StartFragment-->RESULT 1
                                                       SEQ ID No. 1
ADQ31356
ΤD
    ADQ31356 standard; protein; 123 AA.
XX
AC
     ADQ31356;
XX
DT
     07-OCT-2004 (first entry)
XX
DΕ
     Anti-trkC agonist antibody heavy chain variable region, SEQ ID 1.
XX
KW
     Neuroprotective; Analgesic; Cytostatic; taxol-induced sensory neuropathy;
KW
     allodynia; cancer; anti-trkC agonist antibody; trk C; heavy chain;
ΚW
     variable region.
XX
OS
     Synthetic.
XX
FH
                    Location/Qualifiers
     Key
FT
     Region
                    23. .31
FT
                    /note= "Kabat complementarity determining region (CDR)"
FT
     Region
                    31. .35
FT
                    /note= "Chothia CDR"
FT
     Region
                     50. .66
FT
                     /note= "Kabat/Chothia CDR"
FT
     Region
                    96. .113
FT
                    /note= "Kabat/Chothia CDR"
XX
PN
    WO2004058190-A2.
XX
PD
    15-JUL-2004.
XX
     23-DEC-2003; 2003WO-US041367.
PF
XX
     23-DEC-2002; 2002US-0436147P.
PR
XX
PA
     (RINA-) RINAT NEUROSCIENCE CORP.
XX
PΙ
     Shelton DL;
XX
    WPI; 2004-525789/50.
DR
XX
PΤ
     Treating taxol-induced sensory neuropathy (e.g. allodynia) in an
PT
     individual comprises administering to the individual an amount of an anti
PΤ
     -trkC agonist antibody.
XX
PS
     Disclosure; Page 24; 68pp; English.
XX
CC
     The present invention relates to a method for treating taxol-induced
CC
     sensory neuropathy (e.g. allodynia) or cancer in an individual. The
CC
     method comprises administering to the individual anti-trkC agonist
CC
     antibody, which binds an epitope in domain 4 of human trk C. The present
CC
     sequence is the heavy chain variable region of the anti-trkC agonist
CC
     antibody.
XX
SQ
     Sequence 123 AA;
  Query Match
                          100.0%;
                                  Score 658; DB 1; Length 123;
  Best Local Similarity
                         100.0%;
                               0; Mismatches
  Matches 123; Conservative
                                                  0; Indels
                                                                0; Gaps
                                                                            0;
Qу
            1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYRIHWVRQAPGQGLEWMGEIYPSNARTNY 60
              Db
            1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYRIHWVRQAPGQGLEWMGEIYPSNARTNY 60
           61 NEKFKSRVTMTRDTSTSTVYMELSSLRSEDTAVYYCARKYYYGNTRRSWYFDVWGQGTTV 120
Qу
```

```
<!--StartFragment-->RESULT 1
                                                              SEQ ID No. 2
ADQ31357
ID
    ADQ31357 standard; protein; 113 AA.
XX
AC
    ADQ31357;
XX
DT
    07-OCT-2004 (first entry)
XX
DΕ
    Anti-trkC agonist antibody light chain variable region, SEQ ID 2.
XX
KW
    Neuroprotective; Analgesic; Cytostatic; taxol-induced sensory neuropathy;
KW
    allodynia; cancer; anti-trkC agonist antibody; trk C; light chain;
KW
    variable region.
XX
OS
    Synthetic.
XX
FH
    Key
                    Location/Qualifiers
FT
    Region
                    24. .38
FT
                    /note= "Kabat/ Chothia complementarity determining region
FT
                    (CDR)"
                    54. .60
FT
    Region
                    /note= "Kabat/ Chothia CDR"
FT
FT
    Region
                    93. .101
FT
                    /note= "Kabat/ Chothia CDR"
XX
PN
    WO2004058190-A2.
XX
PD
    15-JUL-2004.
XX
PF
    23-DEC-2003; 2003WO-US041367.
XX
PR
    23-DEC-2002; 2002US-0436147P.
XX
    (RINA-) RINAT NEUROSCIENCE CORP.
PA
XX
PΙ
    Shelton DL;
XX
DR
    WPI; 2004-525789/50.
XX
PT
    Treating taxol-induced sensory neuropathy (e.g. allodynia) in an
PT
    individual comprises administering to the individual an amount of an anti
PΤ
    -trkC agonist antibody.
XX
PS
    Disclosure; Page 24; 68pp; English.
XX
CC
    The present invention relates to a method for treating taxol-induced
CC
    sensory neuropathy (e.g. allodynia) or cancer in an individual. The
CC
    method comprises administering to the individual anti-trkC agonist
CC
    antibody, which binds an epitope in domain 4 of human trk C. The present
CC
    sequence is the light chain variable region of the anti-trkC agonist
CC
    antibody.
XX
SQ
    Sequence 113 AA;
 Query Match
                         100.0%;
                                 Score 581; DB 1; Length 113;
 Best Local Similarity
                         100.0%;
                              0; Mismatches
 Matches 113; Conservative
                                                 0; Indels
                                                              0; Gaps
                                                                          0;
Qу
           1 DIQMTQSPSSLSASVGDRVTITCRASESIDNYGISFLAWYQQKPGKAPKLLIYAASNRGS 60
             1 DIQMTQSPSSLSASVGDRVTITCRASESIDNYGISFLAWYQQKPGKAPKLLIYAASNRGS 60
Db
          61 GVPSRFSGSGSGTDFTFTISSLQPEDIATYYCQQSKTVPRTFGQGTKLEIKRT 113
Qу
```

Db 61 GVPSRFSGSGSGTDFTFTISSLQPEDIATYYCQQSKTVPRTFGQGTKLEIKRT 113

<!--EndFragment-->

```
<!--StartFragment-->RESULT 3
ADQ31356
                                                                   SEQ ID No. 4
     ADQ31356 standard; protein; 123 AA.
ΙD
XX
AC
     ADQ31356;
XX
DT
     07-OCT-2004 (first entry)
XX
DΕ
    Anti-trkC agonist antibody heavy chain variable region, SEQ ID 1.
XX
KW
     Neuroprotective; Analgesic; Cytostatic; taxol-induced sensory neuropathy;
     allodynia; cancer; anti-trkC agonist antibody; trk C; heavy chain;
ΚW
KW
     variable region.
XX
OS
     Synthetic.
XX
FH
                     Location/Qualifiers
     Key
FT
                     23. .31
     Region
FT
                     /note= "Kabat complementarity determining region (CDR)"
FT
                     31. .35
     Region
FT
                     /note= "Chothia CDR"
FT
     Region
                     50. .66
FT
                     /note= "Kabat/Chothia CDR"
FT
                     96. .113
     Region
                     /note= "Kabat/Chothia CDR"
FT
XX
     WO2004058190-A2.
PN
XX
     15-JUL-2004.
PD
XX
PF
     23-DEC-2003; 2003WO-US041367.
XX
PR
     23-DEC-2002; 2002US-0436147P.
XX
PA
     (RINA-) RINAT NEUROSCIENCE CORP.
XX
PΙ
     Shelton DL;
XX
DR
     WPI; 2004-525789/50.
XX
PΤ
     Treating taxol-induced sensory neuropathy (e.g. allodynia) in an
PT
     individual comprises administering to the individual an amount of an anti
PT
     -trkC agonist antibody.
XX
PS
     Disclosure; Page 24; 68pp; English.
XX
     The present invention relates to a method for treating taxol-induced
CC
CC
     sensory neuropathy (e.g. allodynia) or cancer in an individual. The
CC
     method comprises administering to the individual anti-trkC agonist
CC
     antibody, which binds an epitope in domain 4 of human trk C. The present
CC
     sequence is the heavy chain variable region of the anti-trkC agonist
CC
     antibody.
XX
SQ
     Sequence 123 AA;
                          100.0%;
  Query Match
                                  Score 10; DB 1; Length 123;
  Best Local Similarity 100.0%;
  Matches
          10; Conservative 0; Mismatches 0; Indels
                                                                  0; Gaps
                                                                              0;
Qу
            1 GYTFTSYRIH 10
              26 GYTFTSYRIH 35
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 3
ADQ31356
                                                                    SEQ ID No. 5
     ADQ31356 standard; protein; 123 AA.
ΙD
XX
AC
     ADQ31356;
XX
DT
     07-OCT-2004 (first entry)
XX
DΕ
    Anti-trkC agonist antibody heavy chain variable region, SEQ ID 1.
XX
KW
     Neuroprotective; Analgesic; Cytostatic; taxol-induced sensory neuropathy;
     allodynia; cancer; anti-trkC agonist antibody; trk C; heavy chain;
ΚW
KW
     variable region.
XX
OS
     Synthetic.
XX
FH
                     Location/Qualifiers
     Key
FT
                     23. .31
     Region
FT
                     /note= "Kabat complementarity determining region (CDR)"
FT
                     31. .35
     Region
FT
                     /note= "Chothia CDR"
FT
     Region
                     50. .66
FT
                     /note= "Kabat/Chothia CDR"
FT
                     96. .113
     Region
                     /note= "Kabat/Chothia CDR"
FT
XX
     WO2004058190-A2.
PN
XX
     15-JUL-2004.
PD
XX
PF
     23-DEC-2003; 2003WO-US041367.
XX
PR
     23-DEC-2002; 2002US-0436147P.
XX
PA
     (RINA-) RINAT NEUROSCIENCE CORP.
XX
PΙ
     Shelton DL;
XX
DR
     WPI; 2004-525789/50.
XX
PΤ
     Treating taxol-induced sensory neuropathy (e.g. allodynia) in an
PT
     individual comprises administering to the individual an amount of an anti
PT
     -trkC agonist antibody.
XX
PS
     Disclosure; Page 24; 68pp; English.
XX
     The present invention relates to a method for treating taxol-induced
CC
CC
     sensory neuropathy (e.g. allodynia) or cancer in an individual. The
CC
     method comprises administering to the individual anti-trkC agonist
CC
     antibody, which binds an epitope in domain 4 of human trk C. The present
CC
     sequence is the heavy chain variable region of the anti-trkC agonist
CC
     antibody.
XX
SQ
     Sequence 123 AA;
                          100.0%;
  Query Match
                                  Score 17; DB 1; Length 123;
                          100.0%;
  Best Local Similarity
  Matches
          17; Conservative
                                0; Mismatches
                                                   0; Indels
                                                                  0; Gaps
                                                                              0;
Qу
            1 EIYPSNARTNYNEKFKS 17
              50 EIYPSNARTNYNEKFKS 66
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 3
ADQ31356
                                                                  SEQ ID No. 6
     ADQ31356 standard; protein; 123 AA.
ΙD
XX
AC
     ADQ31356;
XX
DT
     07-OCT-2004 (first entry)
XX
DΕ
    Anti-trkC agonist antibody heavy chain variable region, SEQ ID 1.
XX
KW
     Neuroprotective; Analgesic; Cytostatic; taxol-induced sensory neuropathy;
     allodynia; cancer; anti-trkC agonist antibody; trk C; heavy chain;
ΚW
KW
     variable region.
XX
OS
     Synthetic.
XX
FH
                     Location/Qualifiers
     Key
FT
                     23. .31
     Region
FT
                     /note= "Kabat complementarity determining region (CDR)"
FT
                     31. .35
     Region
FT
                     /note= "Chothia CDR"
FT
     Region
                     50. .66
FT
                     /note= "Kabat/Chothia CDR"
FT
                     96. .113
     Region
                     /note= "Kabat/Chothia CDR"
FT
XX
     WO2004058190-A2.
PN
XX
PD
     15-JUL-2004.
XX
PF
     23-DEC-2003; 2003WO-US041367.
XX
PR
     23-DEC-2002; 2002US-0436147P.
XX
PA
     (RINA-) RINAT NEUROSCIENCE CORP.
XX
PΙ
     Shelton DL;
XX
DR
     WPI; 2004-525789/50.
XX
PΤ
     Treating taxol-induced sensory neuropathy (e.g. allodynia) in an
PT
     individual comprises administering to the individual an amount of an anti
PT
     -trkC agonist antibody.
XX
PS
     Disclosure; Page 24; 68pp; English.
XX
     The present invention relates to a method for treating taxol-induced
CC
CC
     sensory neuropathy (e.g. allodynia) or cancer in an individual. The
CC
     method comprises administering to the individual anti-trkC agonist
CC
     antibody, which binds an epitope in domain 4 of human trk C. The present
CC
     sequence is the heavy chain variable region of the anti-trkC agonist
CC
     antibody.
XX
SQ
     Sequence 123 AA;
                          100.0%;
  Query Match
                                  Score 15; DB 1; Length 123;
  Best Local Similarity 100.0%;
  Matches
          15; Conservative
                               0; Mismatches 0; Indels
                                                                 0; Gaps
                                                                              0;
Qу
            1 KYYYGNTRRSWYFDV 15
              99 KYYYGNTRRSWYFDV 113
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 3
ADQ31357
                                                              SEQ ID No. 7
     ADQ31357 standard; protein; 113 AA.
ΙD
XX
AC
     ADQ31357;
XX
DT
     07-OCT-2004 (first entry)
XX
DΕ
    Anti-trkC agonist antibody light chain variable region, SEQ ID 2.
XX
KW
     Neuroprotective; Analgesic; Cytostatic; taxol-induced sensory neuropathy;
     allodynia; cancer; anti-trkC agonist antibody; trk C; light chain;
ΚW
KW
     variable region.
XX
OS
     Synthetic.
XX
FH
                     Location/Qualifiers
     Key
FT
                     24. .38
     Region
FT
                     /note= "Kabat/ Chothia complementarity determining region
FT
                     (CDR)"
FT
                     54. .60
     Region
                     /note= "Kabat/ Chothia CDR"
FT
FT
     Region
                     93. .101
FT
                     /note= "Kabat/ Chothia CDR"
XX
PN
     WO2004058190-A2.
XX
PD
     15-JUL-2004.
XX
     23-DEC-2003; 2003WO-US041367.
PF
XX
PR
     23-DEC-2002; 2002US-0436147P.
XX
PΑ
     (RINA-) RINAT NEUROSCIENCE CORP.
XX
PΙ
     Shelton DL;
XX
DR
    WPI; 2004-525789/50.
XX
PT
     Treating taxol-induced sensory neuropathy (e.g. allodynia) in an
PT
     individual comprises administering to the individual an amount of an anti
PT
     -trkC agonist antibody.
XX
PS
     Disclosure; Page 24; 68pp; English.
XX
CC
     The present invention relates to a method for treating taxol-induced
CC
     sensory neuropathy (e.g. allodynia) or cancer in an individual. The
CC
     method comprises administering to the individual anti-trkC agonist
CC
     antibody, which binds an epitope in domain 4 of human trk C. The present
CC
     sequence is the light chain variable region of the anti-trkC agonist
CC
     antibody.
XX
SQ
     Sequence 113 AA;
  Query Match
                          100.0%;
                                  Score 15; DB 1; Length 113;
                          100.0%;
  Best Local Similarity
                                0; Mismatches
  Matches 15; Conservative
                                                   0; Indels
                                                                  0; Gaps
                                                                              0;
            1 RASESIDNYGISFLA 15
Qу
              Db
           24 RASESIDNYGISFLA 38
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 4
ADQ31357
                                                             SEQ ID No. 8
     ADQ31357 standard; protein; 113 AA.
ΙD
XX
AC
     ADQ31357;
XX
DT
     07-OCT-2004 (first entry)
XX
DΕ
     Anti-trkC agonist antibody light chain variable region, SEQ ID 2.
XX
KW
     Neuroprotective; Analgesic; Cytostatic; taxol-induced sensory neuropathy;
     allodynia; cancer; anti-trkC agonist antibody; trk C; light chain;
ΚW
KW
     variable region.
XX
OS
     Synthetic.
XX
FH
                     Location/Qualifiers
     Key
FT
                     24. .38
     Region
FT
                     /note= "Kabat/ Chothia complementarity determining region
FT
                     (CDR)"
FT
     Region
                     54. .60
                     /note= "Kabat/ Chothia CDR"
FT
FT
     Region
                     93. .101
FT
                     /note= "Kabat/ Chothia CDR"
XX
PN
     WO2004058190-A2.
XX
PD
     15-JUL-2004.
XX
     23-DEC-2003; 2003WO-US041367.
PF
XX
PR
     23-DEC-2002; 2002US-0436147P.
XX
PΑ
     (RINA-) RINAT NEUROSCIENCE CORP.
XX
PΙ
     Shelton DL;
XX
     WPI; 2004-525789/50.
DR
XX
PT
     Treating taxol-induced sensory neuropathy (e.g. allodynia) in an
PT
     individual comprises administering to the individual an amount of an anti
PT
     -trkC agonist antibody.
XX
PS
     Disclosure; Page 24; 68pp; English.
XX
CC
     The present invention relates to a method for treating taxol-induced
CC
     sensory neuropathy (e.g. allodynia) or cancer in an individual. The
CC
     method comprises administering to the individual anti-trkC agonist
CC
     antibody, which binds an epitope in domain 4 of human trk C. The present
CC
     sequence is the light chain variable region of the anti-trkC agonist
CC
     antibody.
XX
SQ
     Sequence 113 AA;
  Query Match
                          100.0%; Score 7; DB 1; Length 113;
  Best Local Similarity
                          100.0%;
            7; Conservative
                                0; Mismatches
                                                    0; Indels
                                                                  0; Gaps
                                                                              0;
            1 AASNRGS 7
Qу
              +
           54 AASNRGS 60
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 3
ADQ31357
                                                            SEQ ID No. 9
     ADQ31357 standard; protein; 113 AA.
ΙD
XX
AC
     ADQ31357;
XX
DT
     07-OCT-2004 (first entry)
XX
DΕ
     Anti-trkC agonist antibody light chain variable region, SEQ ID 2.
XX
KW
     Neuroprotective; Analgesic; Cytostatic; taxol-induced sensory neuropathy;
     allodynia; cancer; anti-trkC agonist antibody; trk C; light chain;
ΚW
KW
     variable region.
XX
OS
     Synthetic.
XX
FH
                     Location/Qualifiers
     Key
FT
                     24. .38
     Region
FT
                     /note= "Kabat/ Chothia complementarity determining region
FT
                     (CDR)"
FT
     Region
                     54. .60
                     /note= "Kabat/ Chothia CDR"
FT
FT
     Region
                     93. .101
FT
                     /note= "Kabat/ Chothia CDR"
XX
PN
     WO2004058190-A2.
XX
PD
     15-JUL-2004.
XX
     23-DEC-2003; 2003WO-US041367.
PF
XX
PR
     23-DEC-2002; 2002US-0436147P.
XX
PΑ
     (RINA-) RINAT NEUROSCIENCE CORP.
XX
PΙ
     Shelton DL;
XX
DR
     WPI; 2004-525789/50.
XX
PT
     Treating taxol-induced sensory neuropathy (e.g. allodynia) in an
PT
     individual comprises administering to the individual an amount of an anti
PT
     -trkC agonist antibody.
XX
PS
     Disclosure; Page 24; 68pp; English.
XX
CC
     The present invention relates to a method for treating taxol-induced
CC
     sensory neuropathy (e.g. allodynia) or cancer in an individual. The
CC
     method comprises administering to the individual anti-trkC agonist
CC
     antibody, which binds an epitope in domain 4 of human trk C. The present
CC
     sequence is the light chain variable region of the anti-trkC agonist
CC
     antibody.
XX
SQ
     Sequence 113 AA;
  Query Match
                          100.0%; Score 9; DB 1; Length 113;
  Best Local Similarity
                          100.0%;
           9; Conservative
                                0; Mismatches
                                                    0; Indels
                                                                  0; Gaps
                                                                              0;
            1 QQSKTVPRT 9
Qу
              Db
           93 QQSKTVPRT 101
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 2
US-10-549-441-1
                                                        SEQ ID No. 1
; Sequence 1, Application US/10549441
; Publication No. US20070014786A1
; GENERAL INFORMATION:
  APPLICANT: Shelton, David L.
  TITLE OF INVENTION: METHODS FOR TREATING TAXOL-INDUCED GUT
  TITLE OF INVENTION: DISORDER
  FILE REFERENCE: 514712001600
  CURRENT APPLICATION NUMBER: US/10/549,441
  CURRENT FILING DATE: 2005-09-16
  PRIOR APPLICATION NUMBER: PCT/US2004/008865
 PRIOR FILING DATE: 2004-03-22
 PRIOR APPLICATION NUMBER: US 60/456,648
  PRIOR FILING DATE: 2003-03-20
  NUMBER OF SEQ ID NOS: 10
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 1
   LENGTH: 123
   TYPE: PRT
   ORGANISM: Artificial Sequence
   FEATURE:
   OTHER INFORMATION: Synthetic Construct
US-10-549-441-1
 Query Match
                       100.0%; Score 658; DB 5; Length 123;
 Best Local Similarity 100.0%;
 Matches 123; Conservative
                             0; Mismatches
                                              0; Indels
                                                           0; Gaps
                                                                      0;
           1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYRIHWVRQAPGQGLEWMGEIYPSNARTNY 60
Qу
             Db
          1 QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYRIHWVRQAPGQGLEWMGEIYPSNARTNY 60
          61 NEKFKSRVTMTRDTSTSTVYMELSSLRSEDTAVYYCARKYYYGNTRRSWYFDVWGQGTTV 120
Qу
             Db
          61 NEKFKSRVTMTRDTSTSTVYMELSSLRSEDTAVYYCARKYYYGNTRRSWYFDVWGQGTTV 120
         121 TVS 123
QУ
             IIII
         121 TVS 123
Db
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 2
US-10-549-441-2
                                                          SEQ ID No. 2
; Sequence 2, Application US/10549441
; Publication No. US20070014786A1
; GENERAL INFORMATION:
  APPLICANT: Shelton, David L.
  TITLE OF INVENTION: METHODS FOR TREATING TAXOL-INDUCED GUT
 TITLE OF INVENTION: DISORDER
 FILE REFERENCE: 514712001600
  CURRENT APPLICATION NUMBER: US/10/549,441
  CURRENT FILING DATE: 2005-09-16
 PRIOR APPLICATION NUMBER: PCT/US2004/008865
 PRIOR FILING DATE: 2004-03-22
 PRIOR APPLICATION NUMBER: US 60/456,648
  PRIOR FILING DATE: 2003-03-20
  NUMBER OF SEQ ID NOS: 10
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 2
   LENGTH: 113
   TYPE: PRT
   ORGANISM: Artificial Sequence
   FEATURE:
   OTHER INFORMATION: Synthetic Construct
US-10-549-441-2
 Query Match
                       100.0%; Score 581; DB 5; Length 113;
 Best Local Similarity 100.0%;
 Matches 113; Conservative
                            0; Mismatches
                                              0; Indels
                                                           0; Gaps
                                                                      0;
Qу
           1 DIQMTQSPSSLSASVGDRVTITCRASESIDNYGISFLAWYQQKPGKAPKLLIYAASNRGS 60
             Db
          1 DIQMTQSPSSLSASVGDRVTITCRASESIDNYGISFLAWYQQKPGKAPKLLIYAASNRGS 60
          61 GVPSRFSGSGSGTDFTFTISSLQPEDIATYYCQQSKTVPRTFGQGTKLEIKRT 113
Qу
            61 GVPSRFSGSGSGTDFTFTISSLQPEDIATYYCQQSKTVPRTFGQGTKLEIKRT 113
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 1
US-10-549-441-3
                                                                 SEQ ID No. 4
; Sequence 3, Application US/10549441
; Publication No. US20070014786A1
; GENERAL INFORMATION:
  APPLICANT: Shelton, David L.
; TITLE OF INVENTION: METHODS FOR TREATING TAXOL-INDUCED GUT
; TITLE OF INVENTION: DISORDER
; FILE REFERENCE: 514712001600
; CURRENT APPLICATION NUMBER: US/10/549,441
; CURRENT FILING DATE: 2005-09-16
; PRIOR APPLICATION NUMBER: PCT/US2004/008865
; PRIOR FILING DATE: 2004-03-22
; PRIOR APPLICATION NUMBER: US 60/456,648
; PRIOR FILING DATE: 2003-03-20
  NUMBER OF SEQ ID NOS: 10
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 3
   LENGTH: 13
   TYPE: PRT
   ORGANISM: Artificial Sequence
   FEATURE:
   OTHER INFORMATION: Synthetic Construct
US-10-549-441-3
  Query Match
                         100.0%; Score 10; DB 5; Length 13;
 Best Local Similarity 100.0%;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps
                                                                           0;
           1 GYTFTSYRIH 10
Qу
             4 GYTFTSYRIH 13
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 1
US-10-549-441-4
                                                          SEQ ID No. 5
; Sequence 4, Application US/10549441
; Publication No. US20070014786A1
; GENERAL INFORMATION:
; APPLICANT: Shelton, David L.
; TITLE OF INVENTION: METHODS FOR TREATING TAXOL-INDUCED GUT
; TITLE OF INVENTION: DISORDER
; FILE REFERENCE: 514712001600
; CURRENT APPLICATION NUMBER: US/10/549,441
; CURRENT FILING DATE: 2005-09-16
; PRIOR APPLICATION NUMBER: PCT/US2004/008865
; PRIOR FILING DATE: 2004-03-22
; PRIOR APPLICATION NUMBER: US 60/456,648
; PRIOR FILING DATE: 2003-03-20
; NUMBER OF SEQ ID NOS: 10
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 4
   LENGTH: 17
   TYPE: PRT
   ORGANISM: Artificial Sequence
  FEATURE:
   OTHER INFORMATION: Synthetic Construct
US-10-549-441-4
 Query Match
                        100.0%; Score 17; DB 5; Length 17;
 Best Local Similarity 100.0%;
 Matches 17; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Qу
          1 EIYPSNARTNYNEKFKS 17
            1 EIYPSNARTNYNEKFKS 17
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 1
US-10-549-441-5
; Sequence 5, Application US/10549441
                                                                 SEQ ID No. 6
; Publication No. US20070014786A1
; GENERAL INFORMATION:
  APPLICANT: Shelton, David L.
; TITLE OF INVENTION: METHODS FOR TREATING TAXOL-INDUCED GUT
; TITLE OF INVENTION: DISORDER
; FILE REFERENCE: 514712001600
; CURRENT APPLICATION NUMBER: US/10/549,441
; CURRENT FILING DATE: 2005-09-16
; PRIOR APPLICATION NUMBER: PCT/US2004/008865
; PRIOR FILING DATE: 2004-03-22
; PRIOR APPLICATION NUMBER: US 60/456,648
; PRIOR FILING DATE: 2003-03-20
  NUMBER OF SEQ ID NOS: 10
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 5
   LENGTH: 18
   TYPE: PRT
   ORGANISM: Artificial Sequence
   FEATURE:
   OTHER INFORMATION: Synthetic Construct
US-10-549-441-5
  Query Match
                         100.0%; Score 15; DB 5; Length 18;
 Best Local Similarity 100.0%;
 Matches 15; Conservative 0; Mismatches 0; Indels 0; Gaps
                                                                          0;
Qу
           1 KYYYGNTRRSWYFDV 15
            4 KYYYGNTRRSWYFDV 18
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 1
US-10-549-441-6
                                                                  SEQ ID No. 7
; Sequence 6, Application US/10549441
; Publication No. US20070014786A1
; GENERAL INFORMATION:
  APPLICANT: Shelton, David L.
; TITLE OF INVENTION: METHODS FOR TREATING TAXOL-INDUCED GUT
; TITLE OF INVENTION: DISORDER
; FILE REFERENCE: 514712001600
; CURRENT APPLICATION NUMBER: US/10/549,441
; CURRENT FILING DATE: 2005-09-16
; PRIOR APPLICATION NUMBER: PCT/US2004/008865
; PRIOR FILING DATE: 2004-03-22
; PRIOR APPLICATION NUMBER: US 60/456,648
; PRIOR FILING DATE: 2003-03-20
  NUMBER OF SEQ ID NOS: 10
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 6
   LENGTH: 15
   TYPE: PRT
   ORGANISM: Artificial Sequence
   FEATURE:
   OTHER INFORMATION: Synthetic Construct
US-10-549-441-6
  Query Match
                         100.0%; Score 15; DB 5; Length 15;
 Best Local Similarity 100.0%;
 Matches 15; Conservative 0; Mismatches 0; Indels 0; Gaps
                                                                          0;
Qу
           1 RASESIDNYGISFLA 15
            1 RASESIDNYGISFLA 15
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 1
US-10-549-441-7
                                                                   SEQ ID No. 8
; Sequence 7, Application US/10549441
; Publication No. US20070014786A1
; GENERAL INFORMATION:
  APPLICANT: Shelton, David L.
; TITLE OF INVENTION: METHODS FOR TREATING TAXOL-INDUCED GUT
; TITLE OF INVENTION: DISORDER
; FILE REFERENCE: 514712001600
; CURRENT APPLICATION NUMBER: US/10/549,441
; CURRENT FILING DATE: 2005-09-16
; PRIOR APPLICATION NUMBER: PCT/US2004/008865
; PRIOR FILING DATE: 2004-03-22
; PRIOR APPLICATION NUMBER: US 60/456,648
; PRIOR FILING DATE: 2003-03-20
  NUMBER OF SEQ ID NOS: 10
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 7
   LENGTH: 7
   TYPE: PRT
   ORGANISM: Artificial Sequence
   FEATURE:
   OTHER INFORMATION: Synthetic Construct
US-10-549-441-7
  Query Match
                         100.0%; Score 7; DB 5; Length 7;
 Best Local Similarity 100.0%;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps
                                                                           0;
           1 AASNRGS 7
Qу
             1 AASNRGS 7
<!--EndFragment-->
```

```
<!--StartFragment-->RESULT 1
US-10-549-441-8
; Sequence 8, Application US/10549441
                                                                SEQ ID No. 9
; Publication No. US20070014786A1
; GENERAL INFORMATION:
  APPLICANT: Shelton, David L.
; TITLE OF INVENTION: METHODS FOR TREATING TAXOL-INDUCED GUT
; TITLE OF INVENTION: DISORDER
; FILE REFERENCE: 514712001600
; CURRENT APPLICATION NUMBER: US/10/549,441
; CURRENT FILING DATE: 2005-09-16
; PRIOR APPLICATION NUMBER: PCT/US2004/008865
; PRIOR FILING DATE: 2004-03-22
; PRIOR APPLICATION NUMBER: US 60/456,648
; PRIOR FILING DATE: 2003-03-20
  NUMBER OF SEQ ID NOS: 10
  SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 8
   LENGTH: 9
   TYPE: PRT
   ORGANISM: Artificial Sequence
   FEATURE:
   OTHER INFORMATION: Synthetic Construct
US-10-549-441-8
  Query Match
                         100.0%; Score 9; DB 5; Length 9;
 Best Local Similarity 100.0%;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps
                                                                          0;
           1 QQSKTVPRT 9
Qу
             1 QQSKTVPRT 9
<!--EndFragment-->
```